

IN THE CLAIMS:

Please amend claims 1 and 27 and cancel claims 29 and 30 without prejudice as follows:

1. (Currently amended) A therapeutic device comprising:

an upper cover being adjustable in temperature in a range of 40°C-60°C and forming a first coating layer comprising a mixture of powders of at least about 10% to 20% by weight of hematite, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone;

a lower mat being adjustable in temperature in the range of 40°C-60°C and forming a second coating layer comprising the mixture, the upper cover and the lower mat defining an interior space;

a plurality of herb essence suppliers externally disposed relative to and connected to the interior space formed by the upper cover and the lower mat, each of the plurality of herb essence suppliers having a discharge outlet connected to the interior space, wherein the plurality of herb essence suppliers comprise a heating-type herb essence supplier configured to heat herb and evaporate fragrant materials from the herb, a vibration-type herb essence supplier configured to evaporate herb essence by vibration, and a combustion-type herb essence supplier configured to supply perfume by burning herb; [[and]]

an air pump connected to the plurality of herb essence suppliers for supplying air; and

a protective suit sized to be worn by a human body and received within the interior space, wherein said protective suit is operatively connected to the plurality of herb essence suppliers via a hose.

2. (Previously presented) The device of claim 1, wherein the heating-type herb essence supplier evaporates the herb essence by an electrical resistive wire.

- 3-4. (Canceled)

5. (Previously presented) The device of claim 1, wherein the heating-type herb essence supplier, the vibration-type herb essence supplier, and the combustion-type herb essence supplier are connected in parallel.

6. (Previously presented) The device of claim 1, wherein the combustion-type herb essence supplier burns the herb by using either a resistive wiring or a heating ignition hole connected to an electrical source.

7-8. (Canceled)

9. (Previously presented) The device of claim 1, further comprising an attachment device made of a ceramic material and connected to the discharge outlet of the plurality of herb essence suppliers, wherein the mixture is coated on a bottom surface of the attachment device.

10. (Previously presented) The device of claim 1, wherein the air pump provides negatively ionized air to the plurality of herb essence suppliers.

11. (Canceled)

12. (Previously presented) The device of claim 1, wherein the lower mat includes a plurality of protrusions for stimulating acupuncture points of a human body.

13. (Previously presented) The device of claim 12, wherein the plurality of protrusions are coated with the mixture.

14-21. (Canceled)

22. (Previously presented) The device of claim 1, wherein the upper cover comprises an upper cover cloth, a sponge, an insulation material, a hot wire, an aluminum sheet, a non-woven fabric, and a lower cover cloth, and the lower mat

comprises an upper cover cloth, a non-woven fabric, first and second aluminum sheets, a hot wire, an insulation material, a buffering material, vibrators, and a lower cover cloth.

23. (Previously presented) The device of claim 22, wherein the upper cover clothes and the lower cover clothes of the upper cover and the lower mat comprise Jacquard cloth.

24. (Previously presented) The device of claim 1, wherein various types of herbs are provided to the plurality of herb essence suppliers.

25. (Previously presented) The device of claim 24, wherein the combustion-type herb essence supplier comprises a first supplier burning wet herbs and a second supplier burning dry herbs.

26. (Previously presented) The device of claim 1, wherein the discharge outlet is connected to the interior space via a hose connected to the lower mat.

27. (Currently amended) The device of claim 1, wherein the ~~interior space is sized to receive a human body wearing a protective suit~~ is made of non-woven fabrics and waterproof coating material.

28. (Previously presented) The device of claim 27, wherein the protective suit is further coated with the mixture on the interior.

29-30. (Canceled)

31. (Previously presented) The device of claim 12, wherein the upper cover includes a plurality of protrusions for stimulating acupuncture points of the body.